according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

Revision Date: 07.08.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Acetone, Borvida B™ Acetone, Borvida C™ Acetone
REACH Registration Number	:	01-2119471330-49-0006, 01-2119471330-49-XXXX
Substance name	:	Acetone
Index-No.	:	606-001-00-8
EC-No.	:	200-662-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	: Manufacture, Formulation, Use in laboratories, Use as an intermediate, Use in coatings, Use in binder and release agents, Use in rubber production and processing, Use in polymer processing, Use in polymer production, Use in cleaning agents, Oil field well drilling and production operations (including drilling muds and well cleaning) within closed or contained systems including incidental exposures during material transfers, on-site and activities and related maintenance., Use in blowing agents, Use in mining chemicals, Use in agrochemicals, Use in de-icing and antiicing fluids, Use in explosives, Coatings and paints, thinners, paint removers, Fillers, putties, plasters, modelling clay, Heat transfer fluids, Cosmetics, Police and were blands.
	greases, release products, Polishes and wax blends

1.3 Details of the supplier of the safety data sheet

Manufacturer	: Borealis Polymers Oy P.O.Box 330, FI-06101 Porvoo, Finland Telephone: +358 9 394900
Supplier	: Borealis AG Trabrennstrasse 6-8, 1020 Vienna, Austria Telephone: +43 1 22400 0
E-mail address	: <u>sds@borealisgroup.com</u>

1.4 Emergency telephone number

Borvida B and Borvida C are trademarks of the Borealis group.



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

Revision Date: 07.08.2024

+1 760 476 3962 (3E), Access code: 336296

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 Eye irritation, Category 2 Specific target organ toxicity - single exposure, Category 3, Central nervous system

Labelling (REGULATION (EC) No 1272/2008)

H225: Highly flammable liquid and vapour. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness.

2.2 Label elements

Labelling (REGULATION (EC)	NO 1272/2008)
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H225 Highly flammable liquid and vapour.H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.
Supplemental Hazard Statements	:	EUH066 Repeated exposure may cause skin dryness or cracking.
Precautionary statements	:	Prevention:P210Keep away from heat, hot surfaces, sparks, openflames and other ignition sources. No smoking.P243Take precautionary measures against static discharge.
		Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
		and easy to do. Continue rinsing.



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

Revision Date: 07.08.2024

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name	:	Acetone
Index-No.	:	606-001-00-8
EC-No.	:	200-662-2

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)	M-Factor, SCL, ATE
acetone	67-64-1 200-662-2	> 99	

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	 Move the victim to fresh air. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice.
If inhaled	 Remove from exposure. Keep warm and at rest and provide fresh air. Give oxygen or artificial respiration if needed. Seek medical advice immediately.



according to Regulation (EC) No. 1907/2006

Acetone		
Version 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023
In case of skin contact	: Take off all contaminated clothing Wash off immediately with soap a Obtain medical attention.	
In case of eye contact	: Rinse immediately with plenty of for at least 10 minutes. Seek medical advice immediately	-
If swallowed	: Seek medical advice immediately Do NOT induce vomiting. Rinse mouth, ingest activated cha	
4.2 Most important symptoms	and effects, both acute and delayed	
Symptoms	: Skin and eye contact: tingling	
	Inhalation may provoke the follow Respiratory irritation	ving symptoms:
	Inhalation of high vapour concent symptoms like headache, dizzine vomiting.	
	Ingestion may provoke the follow Gastrointestinal discomfort	ing symptoms:
	Skin contact: Repeated exposure may cause s	kin dryness or cracking.
Risks	 Causes serious eye irritation. May cause drowsiness or dizzine Repeated exposure may cause s 	
4.3 Indication of any immedia	te medical attention and special treatn	nent needed
Treatment	 Symptoms of poisoning may not a Keep under medical supervision f Artificial respiration and/or oxygel Risk of delayed pulmonary oeder 	for at least 48 hours. n may be necessary.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

: Alcohol-resistant foam Dry powder Water mist Carbon dioxide (CO2)



according to Regulation (EC) No. 1907/2006

/ersion 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023
.2 Special hazards arising fro Specific hazards during firefighting	 m the substance or mixture : Incomplete combustion may proc Carbon monoxide Carbon dioxide (CO2) 	duce:

5.3 Advice for firefighters Special protective equi

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus and protective suit. Complete suit protecting against chemicals Flame retardant protective clothing
Further information	:	Remove all sources of ignition. Cool containers/tanks with water spray. Do not allow run-off from fire fighting to enter drains or water

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

courses.

Eliminate all ignition sources if safe to do so. Keep people away from and upwind of spill/leak. Use personal protective equipment.

6.2 Environmental precautions

Attempt to stop leakage without personal risk. Should not be released into the environment. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Observe the risk of explosion.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation, especially in confined areas.

Clean-up methods - large spillage Dam up. Large spills should be collected mechanically (remove by pumping) for disposal.

Clean-up methods - small spillage Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).



according to Regulation (EC) No. 1907/2006

Acetone

 Version 18.0
 Revision Date: 07.08.2024
 Former date: 27.12.2023

 Non-sparking tools should be used.
 Vapours are heavier than air and may spread along floors.
 Pay attention to flashback.

The product evaporates readily.

6.4 Reference to other sections

For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe	handling :	Ensure adequate ventilation. Provide exhaust ventilation close to floor level. Refill and handle product only in closed system. Avoid formation of aerosol. Do not breathe vapours/dust. Avoid contact with skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke. Ensure that eyewash stations and safety showers are close to the workstation location.
Advice on prote fire and explosi		Keep away from heat and sources of ignition. No smoking. Take precautionary measures against static discharges. To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded.
7.2 Conditions for	safe storage, incl	uding any incompatibilities
Requirements f areas and conta		Keep containers tightly closed in a cool, well-ventilated place. Keep in a dry place. Protect from sunlight. Keep product and empty container away from heat and sources of ignition. Locate bulk storage outdoors.
Advice on com	mon storage :	Keep away from incompatible materials. See chapter 10.
7.3 Specific end us	se(s)	
Specific use(s)	:	Solvent



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
acetone	67-64-1	TWA	500 ppm 1.210 mg/m3	2000/39/EC
Further information	Indicative			
		HTP-arvot 8h	500 ppm 1.200 mg/m3	FI OEL
		HTP-arvot 15 min	630 ppm 1.500 mg/m3	FI OEL

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
acetone	Workers	Inhalation	Acute local effects	2420 mg/m3
	Workers	Inhalation	Long-term systemic effects	1210 mg/m3
	Workers	Skin contact	Long-term systemic effects	186 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	200 mg/m3
	Consumers	Skin contact	Long-term systemic effects	62 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	62 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
acetone	Fresh water	10,6 mg/l
	Intermittent use/release	21 mg/l
	Marine water	1,06 mg/l
	Fresh water sediment	30,4 mg/kg
	Marine sediment	3,04 mg/kg
	Soil	29,5 mg/kg
	Sewage treatment plant	100 mg/l

8.2 Exposure controls

Engineering measures

Use only explosion-proof equipment. Provide adequate ventilation.

Personal protective equipment



according to Regulation (EC) No. 1907/2006

Acetone

_

Version 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023		
Eye protection Hand protection Material Break through time Glove thickness	 Safety glasses with side-shiel butyl-rubber > 240 min 0,5 mm 	lds conforming to EN166		
Remarks	gloves. Also take into conside conditions under which the pro danger of cuts, abrasion, and protective gloves have to satis	ns regarding permeability and provided by the supplier of the eration the specific local oduct is used, such as the the contact time. The selected		
Skin and body protection	: Use solvent-resistant protective Flame retardant protective clo Safety shoes according to EN	othing		
Respiratory protection	: Wear respiratory protection w certain contributing scenario.			
Filter type	: Organic gas and low boiling v	apour type (AX)		
Environmental exposure controls				
General advice	drains. Local authorities shoul	t. Prevent product from entering		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Colour Odour Odour Threshold	::	liquid colourless sweet, aromatic 19,8 ppm
Melting point	:	-94,7 °C
Boiling point Flammability	:	56 °C Highly flammable.
Upper explosion limit / Upper flammability limit	:	14,3 %(V)
Lower explosion limit / Lower flammability limit	:	2,5 %(V)



according to Regulation (EC) No. 1907/2006

Acetone

Acelone		
Version 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023
Flash point	: -17 °C	
Auto-ignition temperature	: 465 °C	
Decomposition temperature	: No data available	
рН	: 7 Concentration: 10 g/l	
Viscosity Viscosity, dynamic	: 0,32 mPa.s (20 °C)	
Solubility(ies) Water solubility Solubility in other solvents	 completely soluble miscible with most organic solvents (20 °C) Solvent: Fat solubility 	
Partition coefficient: n- octanol/water	: log Pow: -0,24	
Vapour pressure	: 240 hPa (20 °C)	
	800 hPa (50 °C)	
Relative density	: 0,79 (20 °C)	
Density	: 0,79 g/cm ³	
Relative vapour density	: 2,1 (20 °C)	
Particle size	: Not applicable, (liquid)	
Particle characteristics Particle Size Distribution	: Not applicable, (liquid)	
9.2 Other information Explosives	: Not explosive	
Oxidizing properties	: The substance or mixture is not classifie	d as oxidizing.
Evaporation rate	: 2,0 (ether = 1)	Ŭ
Molecular weight	: 58,08 g/mol	



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

Revision Date: 07.08.2024

SECTION 10: Stability and reactivity

10.1 Reactivity

Reacts with the following substances: Bases

10.2 Chemical stability

Vapours may form explosive mixtures with air. Vapours are heavier than air and may spread along floors. Pay attention to flashback.

10.3 Possibility of hazardous reactions

Hazardous reactions	No dangerous reaction known under conditions of normal use.
	NO dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Keep away from heat and sources of ignition. Exposure to light.

10.5 Incompatible materials

Materials to avoid

: May attack many plastics, rubbers and coatings. Keep away from: Bases Oxidizing agents Amines

10.6 Hazardous decomposition products

Carbon monoxide Carbon dioxide (CO2)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

acetone: Acute oral toxicity	: LD50 (Rat): 5.800 mg/kg
Acute inhalation toxicity	: LC50: 76 mg/l Test atmosphere: vapour



according to Regulation (EC) No. 1907/2006

Acetone

rsion 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023
Acute dermal toxicity	: LD50 (Guinea pig, male): >	7.426 mg/kg
Skin corrosion/irritatior		
Repeated exposure may	ause skin dryness or cracking.	
Components:		
acetone:		
acelone.		
Species	: Guinea pig	

Components:

acetone:	
Species	: Rabbit
Method	: OECD Test Guideline 405
Remarks	: Eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Components:

acetone: Test Type Exposure routes Species Remarks	:	Maximisation Test Skin contact Guinea pig
Remarks	:	Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

acetone:

Genotoxicity in vitro	: Test Type: gene mutation test Method: OECD Test Guideline 471 Result: negative
	: Test Type: Chromosome aberration test in

Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023	
Genotoxicity in vivo	: Test Type: in vivo assay Species: Mouse Application Route: Oral Result: negative		
Carcinogenicity			
Based on available data,	the classification criteria are not met.		
Reproductive toxicity Based on available data, the classification criteria are not met.			

Components:

acetone: Effects on fertility	Remarks: No significant adverse effects were reported
Effects on foetal development	Application Route: Inhalation General Toxicity Maternal: NOAEC: 5.300 mg/m ³

STOT - single exposure

May cause drowsiness or dizziness.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

acetone: Species NOAEL Application Route Exposure time Method	:	Rat, male 900 mg/kg Oral 90 d OECD Test Guideline 408
Species Application Route Exposure time	::	Rat, male Inhalation 40 d

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according



according to Regulation (EC) No. 1907/2006

Acetone			
Version 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023	
	to REACH Article 57(f) or Commi (EU) 2017/2100 or Commission F levels of 0.1% or higher.		
Further information			
Product:			
Remarks	 May be absorbed into the body by inhalation and through the skin. Effects due to ingestion may include: Gastrointestinal disturbance 		

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology Assessment Long-term (chronic) aquatic hazard	: This product has no known ecotoxicological effects.
Components:	
acetone: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 5.540 mg/l Exposure time: 96 h Test Type: static test Remarks: Fresh water
	LC50 (bleak (Alburnus alburnus)): 11.000 mg/l Exposure time: 96 h Test Type: static test Remarks: Marine water
Toxicity to daphnia and other aquatic invertebrates	 LC50 (Daphnia pulex (Water flea)): 8.800 mg/l Exposure time: 48 h Test Type: static test Remarks: Fresh water
	LC50 (Artemia salina): 2.100 mg/l Exposure time: 24 h Test Type: static test Remarks: Marine water
Toxicity to algae/aquatic plants	: NOEC (Microcystis aeruginosa): 530 mg/l Exposure time: 8 d



according to Regulation (EC) No. 1907/2006

Acetone

/ersion 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023
	Test Type: static test Remarks: Fresh water	
	NOEC (Prorocentrum minimum): 4 Exposure time: 96 h Remarks: Marine water	I30 mg/l
Toxicity to microorganisms	: EC12 (Bacteria): 1.000 mg/l Exposure time: 30 min Test Type: Respiration inhibition of	f activated sludge
Toxicity to fish (Chronic	: Remarks: study scientifically unjus	tified
toxicity) Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	 NOEC: 2.212 mg/l Exposure time: 28 d Species: Daphnia magna (Water fl Test Type: flow-through test Remarks: Fresh water 	lea)
2.2 Persistence and degradabili	ty	
Product:		
Stability in water	: Hydrolysis: (0 %)	
Photodegradation	: Test Type: Air Half-life (direct photolysis): 10 d	
Components:		
acetone: Biodegradability	: Biodegradation: 91 % Method: OECD Test Guideline 301 Remarks: Readily biodegradable.	IB
2.3 Bioaccumulative potential		
Product:		
Bioaccumulation	: Bioconcentration factor (BCF): 3 Method: calculated Remarks: Bioaccumulation not exp (n-octanol/water) log Kow < 3.	pected: Partition coefficient
<u>Components:</u> acetone:		
Partition coefficient: n- octanol/water	: log Pow: -0,24	



according to Regulation (EC) No. 1907/2006

and vPvB ass	: This substance/mixture contains to be either persistent, bioaccur very persistent and very bioaccu 0.1% or higher	s no components considered nulative and toxic (PBT), or
	Remarks: Water:, The product e sessment : This substance/mixture contains to be either persistent, bioaccur very persistent and very bioaccu 0.1% or higher	s no components considered nulative and toxic (PBT), or
	Remarks: Water:, The product e sessment : This substance/mixture contains to be either persistent, bioaccur very persistent and very bioaccu 0.1% or higher	s no components considered nulative and toxic (PBT), or
	Remarks: Water:, The product e sessment : This substance/mixture contains to be either persistent, bioaccur very persistent and very bioaccu 0.1% or higher	s no components considered nulative and toxic (PBT), or
	 sessment This substance/mixture contains to be either persistent, bioaccur very persistent and very bioaccu 0.1% or higher 	s no components considered nulative and toxic (PBT), or
	: This substance/mixture contains to be either persistent, bioaccur very persistent and very bioaccu 0.1% or higher	nulative and toxic (PBT), or
upting propert	to be either persistent, bioaccun very persistent and very bioaccu 0.1% or higher	nulative and toxic (PBT), or
upting propert	to be either persistent, bioaccun very persistent and very bioaccu 0.1% or higher	nulative and toxic (PBT), or
upting propert	ties	
	: The substance/mixture does not considered to have endocrine di to REACH Article 57(f) or Comm (EU) 2017/2100 or Commission levels of 0.1% or higher.	isrupting properties according nission Delegated regulation
effects		
gical	: The product should not be allow courses or the soil.	ed to enter drains, water
	effects gical	effects gical : The product should not be allow

13.1 Waste treatment methods

Product	:	Dispose of as hazardous waste in compliance with local and national regulations. Do not dispose of together with household waste. List of suggested waste codes/waste designations in accordance with the EWC: 07 01 04* (other organic solvents, washing liquids and mother liquors)
Contaminated packaging	:	Dispose of as hazardous waste in compliance with local and national regulations.

Borealis AG | Trabrennstrasse 6-8 | 1020 Vienna | Austria Telephone +43 1 224 00 0 | Fax +43 1 22 400 333 FN 269858a | CCC Commercial Court of Vienna | Website <u>www.borealisgroup.com</u>

BOREALIS

according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

Former date: 27.12.2023

SECTION 14: Transport information

14.1 UN number or ID number

	ADR	:	UN 1090
	RID	:	UN 1090
	IMDG	:	UN 1090
14.2	UN proper shipping name		
	ADR	:	ACETONE
	RID	:	ACETONE
	IMDG	:	ACETONE
14.3	Transport hazard class(es)		
	ADR	:	3
	RID	:	3
	IMDG	:	3
14.4	Packing group		
	ADR Packing group Classification Code Hazard Identification Number Labels Tunnel restriction code	: : : : : : : : : : : : : : : : : : : :	II F1 33 3 (D/E)
	RID Packing group Classification Code Hazard Identification Number Labels		II F1 33 3
	IMDG Packing group Labels EmS Code	:	ll 3 F-E, S-D
115	Environmental hazards		

14.5 Environmental hazards

ADR Environmentally hazardous : no

RID



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023
Environmentally hazardous	: no	
IMDG Marine pollutant	: no	
14.6 Special precautions for use		

Remarks

: SDS: No specific instructions needed.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Ship type	:	N/A
Pollution category	:	Z

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

1	eurory, neurin and errinerna regulations, egierate	•••	
	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 40, 3
	Regulation (EU) 2019/1148 on the marketing and use of explosives precursors		
	This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point., Industrial use		acetone (ANNEX II)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. P5a/b/c FLAMMABLE LIQUIDS

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0	Revisio	n Date: 07.08.2024	Former date: 27.12.2023	
EUH066	H066 : Repeated exposure may ca		use skin dryness or cracking.	
Full text of other abbreviation	ns			
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a list of indicative occupational exposure limit values		•	
FIOEL		and. HTP Values - Concentrations K		
2000/39/EC / TWA	: Lim	it Value - eight hours		
FI OEL / HTP-arvot 8h	: Lon	g term exposure limit		
FI OEL / HTP-arvot 15 min	: Sho	rt term exposure limit		
Further information				
Other information		nges since the last version are highl version replaces all previous versio	5	
Issuer		ealis, Group Product Stewardship		
Sources of key data used to compile the Safety Data Sheet		ACH Registration Dossier Acetone. F sortium, 2024	P&D-REACH	

Disclaimer

To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however we do not assume any liability whatsoever for the accuracy and completeness of such information.

Borealis makes no warranties which extend beyond the description contained herein. Nothing herein shall constitute any warranty of merchantability or fitness for a particular purpose.

It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products.

No liability can be accepted in respect of the use of Borealis' products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.



Acetone

Version 18.0

Revision Date: 07.08.2024

Annex: Exposure Scenarios

Table of Contents

Identified uses:

Use: Manufacture of substance, Use at industrial sites

	Aain User Groups Process categories	-	SU3: Industrial uses PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC5: Mixing or blending in batch processes PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC15: Use as laboratory reagent PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC28: Manual maintenance (cleaning and repair) of machinery
E	nvironmental Release Categories	:	ERC1: Manufacture of the substance

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-1_Manufacture.pdf

Use: Formulation & (re)packing of substances and mixtures, Formulation or re-packing

Main User Groups	: SU3: Industrial uses
Chemical product category	: PC0: Other
	PC1: Adhesives, sealants
	PC3: Air care products
	PC4: Anti-freeze and de-icing products
	PC8: Biocidal products
	PC9a: Coatings and paints, thinners, paint removers
	PC9b: Fillers, putties, plasters, modelling clay
	PC9c: Finger paints
	PC12: Fertilizers



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023
Process categories	PC15: Non-metal surface treat PC21: Laboratory chemicals PC24: Lubricants, greases, rel PC27: Plant protection product PC29: Pharmaceuticals PC30: Photo-chemicals PC31: Polishes and wax blend PC32: Polymer preparations a PC35: Washing and cleaning p PC38: Welding and soldering p PC39: Cosmetics, personal ca PROC1: Chemical production without likelihood of exposure of containment conditions PROC2: Chemical production	ease products ease products ts ls nd compounds products products products, flux products re products or refinery in closed process or processes with equivalent or refinery in closed continuous elled exposure or processes with ons batch processes ce or mixture cated facilities eagent ce or mixture dedicated-facilities
Environmental Release Categorie	es : ERC2: Formulation into mixtur	е

Additional information available from:

Use: Use as an intermediate, Use at industrial sites

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-2-Formulation-or-repacking_distribution.pdf

Main User Groups	: SU3: Industrial uses
Sectors of end-use	: SU8, SU9: Manufacture of bulk, large scale chemicals (including petroleum products), Manufacture of fine chemicals
Chemical product category	: PC0: Other
	PC21: Laboratory chemicals
	PC29: Pharmaceuticals
	PC30: Photo-chemicals
	PC35: Washing and cleaning products
	PC39: Cosmetics, personal care products
Process categories	 PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC5: Mixing or blending in batch processes



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0 Re	evision Date: 07.08.2024	Former date: 27.12.2023
Environmental Release Categories	 PROC6: Calendering operations PROC8b: Transfer of substance (charging/discharging) at dedica PROC15: Use as laboratory rea PROC8a: Transfer of substance (charging/discharging) at non de PROC28: Manual maintenance machinery ERC6a: Use of intermediate 	e or mixture ated facilities agent e or mixture edicated-facilities

Additional information available from:

Use: Use as an intermediate, Use at industrial sites

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-3-Use-at-industrial-sites_Use-of-substance-as-intermediate-Z.pdf

Main User Groups	: SU3: Industrial uses
Sectors of end-use	: SU8, SU9: Manufacture of bulk, large scale chemicals (including petroleum products), Manufacture of fine chemicals
Chemical product category	: PC0: Other PC21: Laboratory chemicals
	PC29: Pharmaceuticals PC30: Photo-chemicals
	PC35: Washing and cleaning products
	PC39: Cosmetics, personal care products
Process categories	: PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
	PROC5: Mixing or blending in batch processes
	PROC6: Calendering operations
	PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities
	PROC15: Use as laboratory reagent
	PROC8a: Transfer of substance or mixture
	(charging/discharging) at non dedicated-facilities PROC28: Manual maintenance (cleaning and repair) of machinery
Environmental Release Categories	

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-4-Use-at-industrial-sites_Use-of-substance-as-intermediate-A.pdf



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

Revision Date: 07.08.2024

Use: Use as an intermediate, Use at industrial sites

Main User Groups	: SU3: Industrial uses
Sectors of end-use	: SU8, SU9: Manufacture of bulk, large scale chemicals
	(including petroleum products), Manufacture of fine chemicals
Chemical product category	: PC0: Other
	PC21: Laboratory chemicals
	PC29: Pharmaceuticals
	PC30: Photo-chemicals
	PC35: Washing and cleaning products
	PC39: Cosmetics, personal care products
Process categories	: PROC2: Chemical production or refinery in closed continuous
	process with occasional controlled exposure or processes with
	equivalent containment conditions
	PROC5: Mixing or blending in batch processes
	PROC6: Calendering operations
	PROC8b: Transfer of substance or mixture
	(charging/discharging) at dedicated facilities
	PROC15: Use as laboratory reagent
	PROC8a: Transfer of substance or mixture
	(charging/discharging) at non dedicated-facilities
	PROC28: Manual maintenance (cleaning and repair) of
	machinery
Environmental Release Categories	: ERC6a: Use of intermediate

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-5-Use-at-industrial-sites_Use-of-substance-as-intermediate-B.pdf

Use: Use as an intermediate, Use at industrial sites		
Main User Groups	: SU3: Industrial uses	
Sectors of end-use	: SU8, SU9: Manufacture of bulk, large scale chemicals (including petroleum products), Manufacture of fine chemicals	
Chemical product category	: PC0: Other PC21: Laboratory chemicals PC29: Pharmaceuticals	
	PC30: Photo-chemicals PC35: Washing and cleaning products	
Process categories	 PC39: Cosmetics, personal care products PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC5: Mixing or blending in batch processes 	



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023
	PROC6: Calendering operation PROC8b: Transfer of substanc (charging/discharging) at dedica PROC15: Use as laboratory rea PROC8a: Transfer of substanc (charging/discharging) at non d PROC28: Manual maintenance	e or mixture ated facilities agent e or mixture ledicated-facilities
Environmental Release Categories	machinery s : ERC6a: Use of intermediate	

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-6-Use-at-industrial-sites_Use-of-substance-as-intermediate-C.pdf

Use: Solvents, Use at industrial sites Main User Groups : SU3: Industrial uses Sectors of end-use : SU6b, SU8, SU9: Manufacture of pulp, paper and paper products, Manufacture of bulk, large scale chemicals (including petroleum products), Manufacture of fine chemicals Chemical product category : PC0: Other PC8: Biocidal products PC21: Laboratory chemicals PC26: Paper and board treatment products PC27: Plant protection products PC29: Pharmaceuticals PC30: Photo-chemicals PC35: Washing and cleaning products PC39: Cosmetics, personal care products Process categories PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC5: Mixing or blending in batch processes PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC15: Use as laboratory reagent PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC28: Manual maintenance (cleaning and repair) of machinery **Environmental Release Categories** ERC4: Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

Additional information available from:



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

Revision Date: 07.08.2024

Former date: 27.12.2023

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-7-Use-at-industrial-sites_Use-as-solvent-during-synthesis-of-chemicals-processing-not-covered-otherwise.pdf

Use: Use in laboratories, Use at industrial sites Main User Groups : Sectors of end-use : Sub, SU9, SU24: Manufacture of bulk, large scale chemicals (including petroleum products), Manufacture of fine chemicals, Scientific research and development Chemical product category : PC0: Other PC1: Adhesives, sealants PC3: Air care products PC4: Anti-freeze and de-icing products PC8: Biocidal products

	PC8: Biocidal products
	PC9a: Coatings and paints, thinners, paint removers
	PC9b: Fillers, putties, plasters, modelling clay
	PC9c: Finger paints
	PC12: Fertilizers
	PC15: Non-metal surface treatment products
	PC21: Laboratory chemicals
	PC24: Lubricants, greases, release products
	PC27: Plant protection products
	PC29: Pharmaceuticals
	PC30: Photo-chemicals
	PC31: Polishes and wax blends
	PC32: Polymer preparations and compounds
	PC35: Washing and cleaning products
	PC38: Welding and soldering products, flux products
	PC39: Cosmetics, personal care products
	PC40: Extraction agents
Process categories	: PROC10: Roller application or brushing
	PROC15: Use as laboratory reagent
	PROC19: Manual activities involving hand contact
	PROC8a: Transfer of substance or mixture
	(charging/discharging) at non dedicated-facilities
	PROC28: Manual maintenance (cleaning and repair) of
	machinery
Environmental Release Categories	: ERC4 : Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-8-Use-at-industrial-sites_Use-in-laboratories.pdf

Use: Use in coatings, Use at industrial sites



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023
Main User Groups Sectors of end-use	Manufacture of computer, el electrical equipment, Genera	U18: Other, Manufacture of xcept machinery and equipment, lectronic and optical products, al manufacturing, e.g. machinery, ransport equipment, Manufacture
Chemical product category	: PC1: Adhesives, sealants PC9a: Coatings and paints, PC9b: Fillers, putties, plaste	thinners, paint removers ers, modelling clay
Process categories	without likelihood of exposur containment conditions PROC2: Chemical production process with occasional come equivalent containment conce PROC3: Manufacture or form in closed batch processes w or processes with equivalen PROC4: Chemical production arises PROC5: Mixing or blending PROC7: Industrial spraying PROC8a: Transfer of substat (charging/discharging) at no PROC8b: Transfer of substat (charging/discharging) at de PROC9: Transfer of substat containers (dedicated filling PROC10: Roller application PROC13: Treatment of artice	mulation in the chemical industry with occasional controlled exposure t containment condition on where opportunity for exposure in batch processes ance or mixture n dedicated-facilities ance or mixture dicated facilities nce or mixture into small line, including weighing) or brushing eles by dipping and pouring ession, extrusion, pelettisation, reagent involving hand contact
Environmental Release Categori	es : ERC4: Use of non-reactive inclusion into or onto article)	processing aid at industrial site (no

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-9-Use-at-industrial-sites_Use-in-coatings_adhesives.pdf



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

Revision Date: 07.08.2024

Former date: 27.12.2023

Use: Use in binder and release agents, Use at industrial sites

Main User Groups Process categories	: PRC with cont PRC proc equi PRC in cl or p PRC PRC PRC PRC PRC CCA PRC (cha PRC CCA PRC CCA PRC CCA PRC CCA PRC CCA PRC CCA PRC PRC PRC PRC PRC PRC PRC PRC PRC PRC	 DC5: Mixing or blending in batch processes DC6: Calendering operations DC7: Industrial spraying DC8a: Transfer of substance or mixture arging/discharging) at non dedicated-facilities DC8b: Transfer of substance or mixture arging/discharging) at dedicated facilities DC9: Transfer of substance or mixture into small rainers (dedicated filling line, including weighing) DC10: Roller application or brushing DC13: Treatment of articles by dipping and pouring DC28: Manual maintenance (cleaning and repair) of thinery
Environmental Release C	ategories : ERC artic	C5: Use at industrial site leading to inclusion into/onto le

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-10-Use-at-industrial-sites_-Use-as-binder-or-release-agent.pdf

Use: Use in rubber production and processing, Use at industrial sites

Main User Groups Sectors of end-use Process categories	 SU3: Industrial uses SU11: Manufacture of rubber products PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023
	or processes with equivalent of	where opportunity for exposure
	PROC6: Calendering operation PROC7: Industrial spraying PROC8a: Transfer of substant (charging/discharging) at non PROC8b: Transfer of substant	ons nce or mixture dedicated-facilities
	(charging/discharging) at dedi PROC9: Transfer of substance containers (dedicated filling ling PROC10: Roller application of the substance PROC10: Roller ap	icated facilities e or mixture into small ne, including weighing)
	PROC13: Treatment of article PROC14: Tabletting, compres granulation PROC28: Manual maintenance	es by dipping and pouring ssion, extrusion, pelettisation,
Environmental Release Categorie	•	ess regulators in polymerisation clusion or not into/onto article)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-11-Use-at-industrial-sites_Rubber-production-and-processing.pdf

se: Use in polymer production, Use at industrial sites		
Main User Groups	: SU3: Industrial uses	
Sectors of end-use	: SU12: Manufacture of plastics products, including compounding and conversion	
Chemical product category	: PC32: Polymer preparations and compounds	
Process categories	 PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC6: Calendering operations PROC8a: Transfer of substance or mixture 	



according to Regulation (EC) No. 1907/2006

Acetone

///////////////////////////////////////		
Version 18.0 R	evision Date: 07.08.2024	Former date: 27.12.2023
	(charging/discharging) at non ded PROC8b: Transfer of substance of (charging/discharging) at dedicate	or mixture ed facilities
	 PROC9: Transfer of substance or containers (dedicated filling line, ir PROC10: Roller application or bru PROC13: Treatment of articles by 	ncluding weighing) ushing
	PROC14: Tabletting, compression granulation PROC15: Use as laboratory reage	n, extrusion, pelettisation,
Environmental Release Categories	PROC28: Manual maintenance (c machinery	leaning and repair) of egulators in polymerisation

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-12-Use-at-industrial-sites_Polymer-manufacturing.pdf

Use: Use in polymer processing, Use at industrial sites

Main User Groups Sectors of end-use	 SU3: Industrial uses SU12: Manufacture of plastics products, including compounding and conversion
Chemical product category Process categories	 PC32: Polymer preparations and compounds PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC28: Manual maintenance (cleaning and repair) of machinery
Environmental Release Categories	: ERC6d: Use of reactive process regulators in polymerisation processes at industrial site (inclusion or not into/onto article)

Additional information available from:

 $https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-13-Use-at-industrial-sites_Polymer-processing.pdf$

Use: Use in cleaning agents, Use at industrial sites Main User Groups : SU3: Industrial uses Sectors of end-use : SU6b, SU8, SU9: Manufacture of pulp, paper and paper



according to Regulation (EC) No. 1907/2006

Acetone		
Version 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023
Chemical product category	 products, Manufacture of bulk, large scale chemicals (including petroleum products), Manufacture of fine chemicals PC8: Biocidal products PC9a: Coatings and paints, thinners, paint removers PC21: Laboratory chemicals PC26: Paper and board treatment products 	
Process categories	without likelihood of exposure containment conditions	n or refinery in closed process e or processes with equivalent
	process with occasional cont equivalent containment cond PROC3: Manufacture or form	nulation in the chemical industry the occasional controlled exposure
	PROC4: Chemical production arises PROC5: Mixing or blending in PROC7: Industrial spraying	n where opportunity for exposure n batch processes
	PROC8a: Transfer of substant (charging/discharging) at non PROC8b: Transfer of substant (charging/discharging) at ded PROC9: Transfer of substant containers (dedicated filling lit	n dedicated-facilities nce or mixture licated facilities ce or mixture into small
Environmental Release Categorie	PROC10: Roller application of PROC13: Treatment of article PROC15: Use as laboratory PROC19: Manual activities in PROC28: Manual maintenan machinery	or brushing es by dipping and pouring reagent hvolving hand contact
	inclusion into or onto article)	

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-14-Use-at-industrial-sites_Use-in-or-as-cleaning-agent.pdf

Use: Oil field well drilling and production operations (including drilling muds and well cleaning) including material transfers, on-site formulation, well head operations, shaker room activities and related maintenance., Use at industrial sites

Main User Groups	: SU3: Industrial uses
Sectors of end-use	: SU2a, SU2b: Mining, (without offshore industries), Offshore



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023
Chemical product category	industries PC8: Biocidal products PC35: Washing and cleaning	
Process categories	containment conditions PROC2: Chemical production process with occasional contr equivalent containment condi PROC3: Manufacture or form in closed batch processes with or processes with equivalent of PROC4: Chemical production arises PROC8a: Transfer of substar (charging/discharging) at non PROC8b: Transfer of substar (charging/discharging) at ded PROC28: Manual maintenance	n or refinery in closed process e or processes with equivalent n or refinery in closed continuous rolled exposure or processes with itions hulation in the chemical industry th occasional controlled exposure containment condition n where opportunity for exposure nce or mixture dedicated-facilities nce or mixture licated facilities
Environmental Release Categorie	machinery es : ERC4: Use of non-reactive pr inclusion into or onto article)	rocessing aid at industrial site (no

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-15-Use-at-industrial-sites_Use-in-oil-field-drilling-and-production-operations.pdf

Main User Groups	: SU3: Industrial uses
Sectors of end-use	: SU0, SU5, SU16, SU17, SU18, SU19: Other, Manufacture of textiles, leather, fur, Manufacture of computer, electronic and optical products, electrical equipment, General manufacturing e.g. machinery, equipment, vehicles, other transport equipment, Manufacture of furniture, Building and constructio work
Chemical product category	: PC32: Polymer preparations and compounds
Process categories	: PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
	 PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0 R	evision Date: 07.08.2024	Former date: 27.12.2023
Environmental Release Categories	or processes with equivalent of PROC8b: Transfer of substan (charging/discharging) at dedic PROC9: Transfer of substance containers (dedicated filling lin PROC12: Use of blowing ager PROC8a: Transfer of substance (charging/discharging) at non PROC28: Manual maintenance machinery ERC4: Use of non-reactive pro- inclusion into or onto article)	ce or mixture cated facilities e or mixture into small le, including weighing) nts in manufacture of foam ce or mixture dedicated-facilities re (cleaning and repair) of

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-16-Use-at-industrial-sites-_-Blowing-agents.pdf

Main User Groups	: SU3: Industrial uses
Sectors of end-use	: SU2a: Mining, (without offshore industries)
Chemical product category	: PC40: Extraction agents
Process categories	: PROC1: Chemical production or refinery in closed process
	without likelihood of exposure or processes with equivalent containment conditions
	PROC2: Chemical production or refinery in closed continuous
	process with occasional controlled exposure or processes with equivalent containment conditions
	PROC3: Manufacture or formulation in the chemical industry
	in closed batch processes with occasional controlled exposur
	or processes with equivalent containment condition
	PROC4: Chemical production where opportunity for exposure
	arises
	PROC5: Mixing or blending in batch processes
	PROC8b: Transfer of substance or mixture
	(charging/discharging) at dedicated facilities
	PROC9: Transfer of substance or mixture into small
	containers (dedicated filling line, including weighing)
	PROC8a: Transfer of substance or mixture
	(charging/discharging) at non dedicated-facilities
	PROC28: Manual maintenance (cleaning and repair) of machinery
Environmental Release Categories	: ERC4: Use of non-reactive processing aid at industrial site (n inclusion into or onto article)

Additional information available from:



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

Revision Date: 07.08.2024

Former date: 27.12.2023

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-17-Use-at-industrial-sites-Mining-chemicals.pdf

Use: Use in laboratories, Widespread use by professional workers

Main User Groups Sectors of end-use	 SU22: Professional uses SU8, SU9, SU24: Manufacture of bulk, large scale chemicals (including petroleum products), Manufacture of fine chemicals, Scientific research and development
Chemical product category	 PC1: Adhesives, sealants PC3: Air care products PC4: Anti-freeze and de-icing products PC8: Biocidal products PC9a: Coatings and paints, thinners, paint removers PC9b: Fillers, putties, plasters, modelling clay PC9c: Finger paints PC12: Fertilizers PC15: Non-metal surface treatment products PC21: Laboratory chemicals PC23: Plant protection products PC30: Photo-chemicals PC31: Polishes and wax blends PC32: Polymer preparations and compounds PC38: Welding and soldering products, flux products PC39: Cosmetics, personal care products
Process categories	 PC40: Extraction agents PROC10: Roller application or brushing PROC15: Use as laboratory reagent PROC19: Manual activities involving hand contact PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC28: Manual maintenance (cleaning and repair) of machinery
Environmental Release Categories	: ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-18-Widespread-use-by-professional-workers-Use-in-laboratories.pdf



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

Revision Date: 07.08.2024

Former date: 27.12.2023

Use: Use in coatings, Widespread use by professional workers

Main User Groups : Sectors of end-use :	SU22: Professional uses SU0, SU15, SU16, SU17, SU18, SU6a: Other, Manufacture of fabricated metal products, except machinery and equipment, Manufacture of computer, electronic and optical products, electrical equipment, General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment, Manufacture of furniture, Manufacture of wood and wood products
Chemical product category :	PC1: Adhesives, sealants PC9a: Coatings and paints, thinners, paint removers PC9b: Fillers, putties, plasters, modelling clay PC9c: Finger paints
Process categories :	 PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC9: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC11: Non-industrial spraying PROC13: Treatment of articles by dipping and pouring PROC15: Use as laboratory reagent PROC28: Manual activities involving hand contact PROC28: Manual maintenance (cleaning and repair) of machinery
Environmental Release Categories :	ERC8d, ERC8a, ERC8f, ERC8c: Widespread use of non- reactive processing aid (no inclusion into or onto article, outdoor), Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor), Widespread use leading to inclusion into/onto article (outdoor), Widespread use leading to inclusion into/onto article (indoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-19-Widespread-use-by-professional-workers_Use-in-coatings-adhesives.pdf



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

Revision Date: 07.08.2024

Former date: 27.12.2023

Π

Main User Groups	· SII22. Professional uses
Main User Groups Chemical product category Process categories	 SU22: Professional uses PC24: Lubricants, greases, release products PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposur or processes with equivalent containment condition PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC6: Calendering operations PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
Environmental Release Categories	 PROC10: Roller application or brushing PROC11: Non-industrial spraying PROC28: Manual maintenance (cleaning and repair) of machinery ERC8d, ERC8a, ERC8e, ERC8b, ERC8f, ERC8c: Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor), Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor), Widespread use of reactive processing aid (no inclusion into or onto article, outdoor), Widespread use of reactive processing aid (no inclusion into or onto article, indoor), Widespread use of reactive processing aid (no inclusion into or onto article, indoor), Widespread use leading to inclusion into/onto article (outdoor), Widespread use leading to inclusion into/onto article (indoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-20-Widespread-use-by-professional-workers-Use-as-binder-release-agent.pdf



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

Revision Date: 07.08.2024

Former date: 27.12.2023

Use: Use in polymer production, Widespread use by professional workers

Main User Groups Sectors of end-use	 SU22: Professional uses SU12: Manufacture of plastics products, including compounding and conversion
Chemical product category Process categories	 PC32: Polymer preparations and compounds PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC14: Tabletting, compression, extrusion, pelettisation, granulation PROC28: Manual maintenance (cleaning and repair) of machinery
Environmental Release Categories	: ERC8d, ERC8a, ERC8f: Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor), Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor), Widespread use leading to inclusion into/onto article (outdoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-21-Widespread-use-by-professional-workers_Polymer-manufacturing.pdf

Use: Use in polymer processing, Widespread use by professional workers

Main User Groups Sectors of end-use	 SU22: Professional uses SU12: Manufacture of plastics products, including compounding and conversion
Chemical product category Process categories	 PC32: Polymer preparations and compounds PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC8a: Transfer of substance or mixture



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023
	(charging/discharging) at non dedic PROC8b: Transfer of substance or (charging/discharging) at dedicated PROC9: Transfer of substance or r containers (dedicated filling line, ind PROC14: Tabletting, compression, granulation PROC28: Manual maintenance (cle machinery	mixture I facilities nixture into small cluding weighing) extrusion, pelettisation,
Environmental Release Categorie	ERC8d, ÉRC8a, ERC8f: Widespre- processing aid (no inclusion into or Widespread use of non-reactive pro into or onto article, indoor), Widesp inclusion into/onto article (outdoor)	onto article, outdoor), ocessing aid (no inclusion

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-22-Widespread-use-by-professional-workers_Polymer-processing.pdf

Use: Use in cleaning	agents, Wides	pread use by pro	ofessional workers
	j agento, maco	picaa use by pit	

Main User Groups Sectors of end-use	 SU22: Professional uses SU6b, SU8, SU9: Manufacture of pulp, paper and paper products, Manufacture of bulk, large scale chemicals
Chemical product category	 (including petroleum products), Manufacture of fine chemicals PC8: Biocidal products PC9a: Coatings and paints, thinners, paint removers PC21: Laboratory chemicals PC26: Paper and board treatment products
Process categories	 PC30: Photo-chemicals PC35: Washing and cleaning products PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent
	containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC4: Chemical production where opportunity for exposure arises
	PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0 Re	evision Date: 07.08.2024	Former date: 27.12.2023
Environmental Release Categories	 (charging/discharging) at dedicated in PROC9: Transfer of substance or m containers (dedicated filling line, incle PROC10: Roller application or brush PROC11: Non-industrial spraying PROC13: Treatment of articles by discrete PROC19: Manual activities involving PROC28: Manual maintenance (clear machinery) ERC8a: Widespread use of non-rear inclusion into or onto article, indoor) 	ixture into small uding weighing) ning ipping and pouring g hand contact aning and repair) of

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-23-Widespread-use-by-professional-workers_Use-in-or-as-cleaning-agents.pdf

Use: Oil field well drilling and production operations (including drilling muds and well cleaning) including material transfers, on-site formulation, well head operations, shaker room activities and related maintenance., Widespread use by professional workers

Main User Groups Sectors of end-use	:	SU22: Professional uses SU2a, SU2b: Mining, (without offshore industries), Offshore industries
Chemical product category	:	PC8: Biocidal products PC35: Washing and cleaning products PC41: Oil and gas exploration or production products
Process categories	:	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions
		PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
		PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
		PROC4: Chemical production where opportunity for exposure arises
		 PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC28: Manual maintenance (cleaning and repair) of
Environmental Release Categories	:	ERC8d: Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

Revision Date: 07.08.2024

Former date: 27.12.2023

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-24-Widespread-use-by-professional-workers_Use-in-oil-field-drilling-and-production-operations.pdf

Use: Use in agrochemicals, Widespread use by professional workers

Main User Groups Sectors of end-use Chemical product category	 SU22: Professional uses SU1: Agriculture, forestry, fishery PC12: Fertilizers PC27: Plant protection products PC8: Biocidal products
Process categories	 PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC4: Chemical production where opportunity for exposure arises PROC8a: Transfer of substance or mixture
	 (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC11: Non-industrial spraying PROC13: Treatment of articles by dipping and pouring PROC19: Manual activities involving hand contact PROC28: Manual maintenance (cleaning and repair) of
Environmental Release Categories	 machinery ERC8d, ERC8a: Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor), Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-25-Widespread-use-by-professional-workers-Agrochemical-uses.pdf

Use: Use in de-icing and anti-icing fluids, Widespread use by professional workers

Main User Groups	: SU22: Professional uses	
Chemical product category Process categories	 PC4: Anti-freeze and de-icing products PROC1: Chemical production or refinery in closed process 	
	without likelihood of exposure or processes with equivalent	



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0	Revision Date: 07.08.2024	Former date: 27.12.2023
		ance or mixture dicated facilities aying nvolving hand contact ance or mixture n dedicated-facilities
Environmental Release Categori	es : ERC8d: Widespread use of inclusion into or onto article,	non-reactive processing aid (no outdoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-26-Widespread-use-by-professional-workers_De-icing-and-anti-icing-applications.pdf

Use: Use in explosives, Widespread use by professional workers

	Main User Groups Chemical product category Process categories	:	 SU22: Professional uses PC11: Explosives PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging/discharging) at non dedicated-facilities PROC8b: Transfer of substance or mixture (charging/discharging) at dedicated facilities PROC28: Manual maintenance (cleaning and repair) of machinery
I	Environmental Release Categories	:	ERC8d: Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-27-Widespread-use-by-professional-workers_Explosives-manufacture-and-use.pdf



according to Regulation (EC) No. 1907/2006

Acetone

Version 18.0

Revision Date: 07.08.2024

Use: Consumer, Consumer use

Main User Groups Chemical product category	 SU21: Consumer uses PC1: Adhesives, sealants PC3: Air care products PC4: Anti-freeze and de-icing products PC8: Biocidal products PC9a: Coatings and paints, thinners, paint removers PC9b: Fillers, putties, plasters, modelling clay PC9c: Finger paints PC15: Non-metal surface treatment products PC16: Heat transfer fluids PC24: Lubricants, greases, release products PC29: Pharmaceuticals PC31: Polishes and wax blends PC35: Washing and cleaning products, flux products PC38: Welding and soldering products, flux products PC39: Cosmetics, personal care products 	
Environmental Release Categories	 ERC8d, ERC8a: Widespread use of non-reactive process aid (no inclusion into or onto article, outdoor), Widespread of non-reactive processing aid (no inclusion into or onto article, indoor) 	

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-28-Consumer-use_Consumer-uses.pdf

Use: Production of foam-based objects, Service life - consumers

Chemical product category : Article categories : Environmental Release Categories :	SU21: Consumer uses AC0: Other AC 0: Other Articles ERC10a, ERC11a: Widespread use of articles with low release (outdoor), Widespread use of articles with low release (indoor)
---	--

Additional information available from:

https://www.borealisgroup.com/storage/Base-Chemicals/Acetone/Exposure-Scenarios/ES-29-Service-life-consumers-Articles-containing-foam.pdf

